

[Search Forms](#)
[Search Results](#)

[Help](#)[User Searches](#)

Refine Search

Search Results -

Preferences	Terms	Documents
Logout	L7 and (modif\$ or generat\$ or alter\$ or develop\$ or chang\$) near4 resourc\$	8

Database:

US Pre-Grant Publication Full-Text Database
US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

Refine Search**Recall Text****Clear****Interrupt**

Search History

DATE: Thursday, January 29, 2004 [Printable Copy](#) [Create Case](#)

<u>Set</u>	<u>Name</u>	<u>Query</u>	<u>Hit Count</u>	<u>Set Name</u>
side by side				result set
DB=USPT; PLUR=YES; OP=ADJ				
<u>L8</u>	L8	L7 and (modif\$ or generat\$ or alter\$ or develop\$ or chang\$) near4 resourc\$	8	<u>L8</u>
<u>L7</u>	L7	L5 and resourc\$	64	<u>L7</u>
<u>L6</u>	L6	L5 and resourc\$ near5 (markup\$ or html\$)	0	<u>L6</u>
<u>L5</u>	L5	L4 and (access\$ or securit\$ or authoriz\$) first group\$ near5 (develop\$ or writ\$ or modif\$ or build\$ or generat\$) and	64	<u>L5</u>
<u>L4</u>	L4	second group\$ near5 (develop\$ or writ\$ or modif\$ or build\$ or generat\$) and resource\$ and (software or program\$ Or code\$ or application\$)	77	<u>L4</u>
<u>L3</u>	L3	L2 and graphical\$	40	<u>L3</u>
<u>L2</u>	L2	L1 and (develop\$ OR WRIT\$ or modif\$ or chang\$ or alter\$) near5 resourc\$	134	<u>L2</u>
<u>L1</u>	L1	first group and second group and (develop\$ or writ\$ or modif\$ or build\$ or generat\$) near5 (software or program\$ Or code\$ or application\$)	6058	<u>L1</u>

END OF SEARCH HISTORY

Refine Search

Search Results -

Terms	Documents
(707/104.1).ccls.	1974

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

L21

Refine Search

Recall Text

Clear

Interrupt

Search History

DATE: Thursday, January 29, 2004 [Printable Copy](#) [Create Case](#)

<u>Set</u>	<u>Hit</u>	<u>Set</u>
<u>Name</u>	<u>Count</u>	<u>Name</u>
side by side		result set
DB=USPT; PLUR=YES; OP=ADJ		
L21 707/104.1.ccls.	1974	L21
L20 709/223,203.ccls.	3152	L20
L19 345/594,650,676,740,760.ccls.	248	L19
L18 717/109,110,11,113.ccls.	283	L18
DB=USPT,TDBD; PLUR=YES; OP=ADJ		
L17 717/101,102,103,104,105,106.ccls.	338	L17
DB=TDBD; PLUR=YES; OP=ADJ		
L16 L9 and (creat\$ or modif\$ or alter\$ or chang\$) near5 resourc\$	0	L16
DB=DWPI; PLUR=YES; OP=ADJ		
L15 ((access near5 right\$) or authoriz\$ or securit\$) near5 (worker\$ or writer\$ or programmer\$ or developer\$) and (creat\$ or modif\$ or alter\$ or chang\$) near5 resourc\$	0	L15
DB=JPAB; PLUR=YES; OP=ADJ		

<u>L14</u>	((access near5 right\$) or authoriz\$ or securit\$) near5 (worker\$ or writer\$ or programmer\$ or developer\$) and (creat\$ or modif\$ or alter\$ or chang\$) near5 resourc\$	0	<u>L14</u>
<i>DB=EPAB; PLUR=YES; OP=ADJ</i>			
<u>L13</u>	((access near5 right\$) or authoriz\$ or securit\$) near5 (worker\$ or writer\$ or programmer\$ or developer\$) and (creat\$ or modif\$ or alter\$ or chang\$) near5 resourc\$	0	<u>L13</u>
<i>DB=USOC; PLUR=YES; OP=ADJ</i>			
<u>L12</u>	((access near5 right\$) or authoriz\$ or securit\$) near5 (worker\$ or writer\$ or programmer\$ or developer\$) and (creat\$ or modif\$ or alter\$ or chang\$) near5 resourc\$	0	<u>L12</u>
<i>DB=PGPB; PLUR=YES; OP=ADJ</i>			
<u>L11</u>	((access near5 right\$) or authoriz\$ or securit\$) near5 (worker\$ or writer\$ or programmer\$ or developer\$) and (creat\$ or modif\$ or alter\$ or chang\$) near5 resourc\$	59	<u>L11</u>
<i>DB=USPT; PLUR=YES; OP=ADJ</i>			
<u>L10</u>	L9 and (creat\$ or modif\$ or alter\$ or chang\$) near5 resourc\$	54	<u>L10</u>
<u>L9</u>	((access near5 right\$) or authoriz\$ or securit\$) near5 (worker\$ or writer\$ or programmer\$ or developer\$)	674	<u>L9</u>
<u>L8</u>	L7 and (modif\$ or generat\$ or alter\$ or develop\$ or chang\$) near4 resourc\$	8	<u>L8</u>
<u>L7</u>	L5 and resourc\$	64	<u>L7</u>
<u>L6</u>	L5 and resourc\$ near5 (markup\$ or html\$)	0	<u>L6</u>
<u>L5</u>	L4 and (access\$ or securit\$ or authoriz\$)	64	<u>L5</u>
<u>L4</u>	first group\$ near5 (develop\$ or writ\$ or modif\$ or build\$ or generat\$) and second group\$ near5 (develop\$ or writ\$ or modif\$ or build\$ or generat\$) and resource\$ and (software or program\$ Or code\$ or application\$)	77	<u>L4</u>
<u>L3</u>	L2 and graphical\$	40	<u>L3</u>
<u>L2</u>	L1 and (develop\$ OR WRIT\$ or modif\$ or chang\$ or alter\$) near5 resourc\$	134	<u>L2</u>
<u>L1</u>	first group and second group and (develop\$ or writ\$ or modif\$ or build\$ or generat\$) near5 (software or program\$ Or code\$ or application\$)	6058	<u>L1</u>

END OF SEARCH HISTORY



> home | > about | > feedback | > login

US Patent & Trademark Office



[Try the new Portal design](#)

Give us your opinion after using it.

Search Results

Search Results for: [software and development and resource and security and authorized and access and right]

Found 482 of 126,861 searched.

Warning: Maximum result set of 200 exceeded. Consider refining.

Search within Results



> Advanced Search

> Search Help/Tips

Sort by: Title Publication Publication Date Score

Results 1 - 20 of 200 short listing

◀
Prev
Page

1 2 3 4 5 6 7 8 9 10

▶
Next
Page

1 Access Control: Design and implementation of a flexible RBAC-service in 90%
 an object-oriented scripting language

Gustaf Neumann , Mark Strembeck

Proceedings of the 8th ACM conference on Computer and Communications Security November 2001

In this paper we present the design and implementation of the xorbac component that provides a flexible RBAC service. The xorbac, implementation conforms to level 4a of the unified NIST model for RBAC and can be reused for arbitrary applications on Unix or Windows with a C or Tcl linkage. xorbac runtime elements can be serialized and recreated from RDF data models conforming to a well-defined RDF schema. Furthermore we present our experiences with xorbac for t ...

2 Operating System Structures to Support Security and Reliable Software 87%
 Theodore A. Linden
ACM Computing Surveys (CSUR) December 1976
 Volume 8 Issue 4

3 RBAC for Collaborative Environments: Model driven security for process- 87%
 oriented systems
 David Basin , Jürgen Doser , Torsten Lodderstedt
Proceedings of the eighth ACM symposium on Access control models and technologies June 2003

Model Driven Architecture is an approach to increasing the quality of complex software systems based on creating high-level system models and automatically generating system architectures from the models. We show how this paradigm can be specialized to what we call Model Driven Security. In our specialization, a designer builds a system

[IEEE HOME](#) | [SEARCH IEEE](#) | [SHOP](#) | [WEB ACCOUNT](#) | [CONTACT IEEE](#)[Membership](#) [Publications/Services](#) [Standards](#) [Conferences](#) [Careers/Jobs](#)Welcome
United States Patent and Trademark Office[Help](#) [FAQ](#) [Terms](#) [IEEE Peer Review](#)**Quick Links**

» See

Welcome to IEEE Xplore®

- Home
- What Can I Access?
- Log-out

Tables of Contents

- Journals & Magazines
- Conference Proceedings
- Standards

Search

- By Author
- Basic
- Advanced

Member Services

- Join IEEE
- Establish IEEE Web Account
- Access the IEEE Member Digital Library

Your search matched **2** of **1000582** documents.
A maximum of **500** results are displayed, **15** to a page, sorted by **Relevance Descending** order.

Refine This Search:

You may refine your search by editing the current search expression or enter a new one in the text box.

 Check to search within this result set**Results Key:****JNL** = Journal or Magazine **CNF** = Conference **STD** = Standard**1 Creating educational Web sites***Azuma, J.;*

Communications Magazine, IEEE , Volume: 37 , Issue: 3 , March 1999

Pages:109 - 113

[\[Abstract\]](#) [\[PDF Full-Text \(604 KB\)\]](#) **IEEE JNL****2 Role-based security for configurable distributed control systems***Hauf, M.; Schwarz, J.; Polze, A.;*

Object-Oriented Real-Time Dependable Systems, 2001. Proceedings. Sixth International Workshop on , 8-10 Jan. 2001

Pages:111 - 118

[\[Abstract\]](#) [\[PDF Full-Text \(596 KB\)\]](#) **IEEE CNF**

[Home](#) | [Log-out](#) | [Journals](#) | [Conference Proceedings](#) | [Standards](#) | [Search by Author](#) | [Basic Search](#) | [Advanced Search](#) | [Join IEEE](#) | [Web Account](#) | [New this week](#) | [OPAC Linking Information](#) | [Your Feedback](#) | [Technical Support](#) | [Email Alerting](#) | [No Robots Please](#) | [Release Notes](#) | [IEEE Online Publications](#) | [Help](#) | [FAQ](#) | [Terms](#) | [Back to Top](#)

Copyright © 2004 IEEE — All rights reserved



> home | > about | > feedback | > login

US Patent & Trademark Office



Try the **new** Portal design

Give us your opinion after using it.

Search Results

Search Results for: [modify and resource and markup and software]

Found **437** of **126,861** searched.

Warning: Maximum result set of 200 exceeded. Consider refining.

Search within Results



> Advanced Search

> Search Help/Tips

Sort by: Title Publication Publication Date Score

Results 1 - 20 of 200 short listing

◀
Prev
Page

1 2 3 4 5 6 7 8 9 10

▶
Next
Page

1 Session 2: secure Web services: Designing a distributed access control 88%
 processor for network services on the Web

Reiner Kraft

Proceedings of the 2002 ACM workshop on XML security November 2002

The service oriented architecture (SOA) is gaining more momentum with the advent of network services on the Web. A programmable and machine accessible Web is the vision of many, and might represent a step towards the semantic Web. However, security is a crucial requirement for the serious usage and adoption of the Web services technology. This paper enumerates design goals for an access control model for Web services. It then introduces an abstract general model for Web services components, along ...

2 Interactive Editing Systems: Part II 87%

Norman Meyrowitz , Andries van Dam
ACM Computing Surveys (CSUR) September 1982
 Volume 14 Issue 3

3 Dynamic views of SGML tagged documents 85%

B. Fraser , J. Roberts , G. Pianosi , P. Alencar , D. Cowan , D. German , L. Nova
Proceedings of the 17th annual international conference on Computer documentation October 1999

Product information is more frequently being delivered as hypertext webs or documents because of the availability of the World-Wide Web and the associated communications infrastructure. However, this type of document with its large number of files and hyperlinks can become very complex and present significant usability problems for the creator, maintainer and user. Because of this complexity it becomes extremely difficult to implement and maintain dynamic views of a document, a